
## Customer interviews SQ.line® - Great Feedback!

Customer interviews during usability tests in CSSD








#### The following questions were answered by yes





Improvement of cleaning compared to traditional Aesculap® design	97%	94%	90%	71%	100%
Improvement of cleaning compared to competitors	93%	85%	92%	85%	93%
Improvement of visual inspection	100%	97%	97%	80%	100%
Intuitive cleanable instruments	97%	100%	100%	100%	100%



### Customer interviews SQ.line® – Great Feedback!



#### Usability test - Cadaver workshop







A cadaver workshop was performed to test the function of the SQ.line® instruments. Orthopedic surgeons simulated different scenarios in hip surgery.

- > 25 different types of instruments were used
- > 100 questions to users
- > Feedback very positive

#### The following questions were answered as follows:



Ergonomic design	必	四	必	四	B
Ergonomic design – compared to competitors	B	B	B	B	B
Safe grip	的	四	四	的	B
Pressure points  = no pressure points)	5	5	5	50	50



Compared to competitor products, for:

- Bone rongeur
- ➤ Wire cutting forcep surgeons can feel the difference:

With SQ.line® less force is needed during use!

## Customer interviews SQ.line® - Great Feedback!



Customer interviews during development phase



136 interviewed customers




# in 8 countries worldwide

135 feedback to double joint forceps

101 feedback to mallets

77 feedback to chisels, curettes

In total 1.018 customer feedback to various questions



Rated ergonomics positive

AESCULAP® - a B. Braun brand

Aesculap AG | Am Aesculap-Platz | 78532 Tuttlingen | Germany Phone +49 7461 95-0 | Fax +49 7461 95-26 00 | www.aesculap.com